


# Speedworks, Lewisville Tx.

RPM = 148.5  
325  
SAE Torque (ft-lbs)  
300  
275  
250  
225  
200  
175  
150



3.2 3.4 3.6 3.8 4.0 4.2 4.4 4.6 4.8 5.0 5.2 5.4 5.6 5.8 6.0 6.2 6.4

RPM (x1000)

Speedworks, Lewisville Tx.

263.2    289.8    12.2

Speedworks, Lewisville Tx.

Name: DYNORUN.003

Title:

Run Date and Time: 7/7/01 1:19:04 PM

Acceleration from 3000 to 6400RPM, interval = 100RPM

Absolute barometric pressure : 29.28 in.Hg.

Vapor pressure : 0.62 in.Hg.

Intake air temperature : 104.4 F

Gear Ratio : 43.30 RPM/MPH

Correction Factor : 1.05 SAE

TIME	RPM	POWER	TORQUE	AIR/FUE
N/A	3000	N/A	N/A	N/A
N/A	3100	N/A	N/A	N/A
N/A	3200	N/A	N/A	N/A
N/A	3300	N/A	N/A	N/A
0.00	3400	169.3	261.5	15.0
0.39	3500	186.7	280.1	14.9
0.77	3600	198.4	289.4	13.6
1.14	3700	210.7	299.1	12.5
1.49	3800	218.6	302.2	12.1
1.85	3900	226.5	305.1	11.9
2.20	4000	233.4	306.5	11.9
2.55	4100	240.2	307.7	11.8
2.90	4200	247.0	308.9	11.8
3.24	4300	251.3	307.0	11.9
3.60	4400	255.5	305.0	11.9
3.95	4500	261.9	305.6	11.8
4.30	4600	267.0	304.8	11.8
4.65	4700	273.1	305.2	11.8
5.01	4800	276.0	301.9	11.9
5.36	4900	283.5	303.8	11.9
5.72	5000	286.9	301.4	11.9
6.08	5100	289.3	298.0	12.0
6.45	5200	294.1	297.0	12.0
6.81	5300	295.6	292.9	12.0
7.19	5400	294.8	286.7	12.0
7.57	5500	296.0	282.6	12.0
7.95	5600	296.5	278.1	11.9
8.35	5700	298.7	275.2	11.9
8.74	5800	300.9	272.4	11.9
9.15	5900	297.8	265.1	11.9
9.56	6000	297.0	259.9	11.9
9.99	6100	295.1	254.1	11.9
10.43	6200	290.2	245.8	11.8
10.43	6300	N/A	N/A	N/A
10.43	6400	N/A	N/A	N/A

Column Max

300.9 308.9 15.0

Column Min


169.3 245.8 11.8

Column Average

# Speedworks, Lewisville Tx.

RPM = 143.9  
325

SAE Torque (ft-lbs)  
300  
275  
250  
225  
200  
175  
150



3.0 3.2 3.4 3.6 3.8 4.0 4.2 4.4 4.6 4.8 5.0 5.2 5.4 5.6 5.8 6.0 6.2 6.4

RPM (x1000)

Speedworks, Lewisville Tx.

Name: DYNORUN.002

Title:

Run Date and Time: 7/7/01 1:12:28 PM

Acceleration from 3000 to 6400RPM, interval = 100RPM

Absolute barometric pressure : 29.30 in.Hg.

Vapor pressure : 0.62 in.Hg.

Intake air temperature : 103.8 F

Gear Ratio : 43.31 RPM/MPH

Correction Factor : 1.05 SAE

TIME	RPM	POWER	TORQUE	AIR/FUE
N/A	3000	N/A	N/A	N/A
N/A	3100	N/A	N/A	N/A
N/A	3200	N/A	N/A	N/A
0.00	3300	168.4	268.0	14.9
0.39	3400	178.2	275.3	14.7
0.78	3500	186.5	279.9	13.7
1.15	3600	196.3	286.4	12.5
1.53	3700	203.3	288.5	11.9
1.90	3800	211.3	292.1	11.7
2.26	3900	221.3	298.0	11.7
2.62	4000	231.8	304.3	11.7
2.97	4100	238.0	304.9	11.7
3.32	4200	242.4	303.1	11.7
3.67	4300	246.5	301.1	11.7
4.03	4400	251.6	300.4	11.8
4.39	4500	257.8	300.9	11.8
4.74	4600	260.6	297.5	11.8
5.11	4700	266.1	297.4	11.8
5.47	4800	271.0	296.6	11.8
5.83	4900	276.7	296.6	11.8
6.19	5000	281.6	295.8	11.8
6.56	5100	286.9	295.5	11.8
6.94	5200	283.8	286.6	11.8
7.31	5300	292.5	289.9	11.9
7.68	5400	292.8	284.8	12.0
8.07	5500	292.8	279.6	12.0
8.46	5600	293.3	275.1	11.9
8.85	5700	293.9	270.8	11.9
9.26	5800	294.6	266.8	11.9
9.67	5900	294.8	262.5	11.9
10.09	6000	294.8	258.1	11.9
10.51	6100	293.0	252.3	11.9
10.51	6200	N/A	N/A	N/A
10.51	6300	N/A	N/A	N/A
10.51	6400	N/A	N/A	N/A

Column Max

294.8      304.9      14.9

Column Min

168.4      252.3      11.7


Column Average

Speedworks, Lewisville Tx.

255.3    286.5    12.1

# Speedworks, Lewisville Tx.

RPM = 6.4



Speedworks, Lewisville Tx.

Name: DYNORUN.001

Title:

Run Date and Time: 7/7/01 1:09:06 PM

Acceleration from 3000 to 6400RPM, interval = 100RPM

Absolute barometric pressure : 29.29 in.Hg.

Vapor pressure : 0.61 in.Hg.

Intake air temperature : 103.4 F

Gear Ratio : 43.23 RPM/MPH

Correction Factor : 1.05 SAE

TIME	RPM	POWER	TORQUE	AIR/FUE
N/A	3000	N/A	N/A	N/A
N/A	3100	N/A	N/A	N/A
N/A	3200	N/A	N/A	N/A
N/A	3300	N/A	N/A	N/A
N/A	3400	N/A	N/A	N/A
0.00	3500	187.8	281.8	13.4
0.38	3600	194.7	284.1	12.8
0.76	3700	202.1	286.9	12.5
1.13	3800	209.0	288.8	12.3
1.50	3900	217.4	292.7	12.2
1.87	4000	225.7	296.4	12.1
2.23	4100	238.7	305.8	12.1
2.58	4200	244.9	306.2	12.1
2.93	4300	249.7	305.0	12.0
3.29	4400	254.0	303.2	12.0
3.64	4500	259.5	302.9	12.0
4.00	4600	263.9	301.4	12.0
4.36	4700	269.2	300.8	11.9
4.72	4800	274.0	299.8	12.0
5.08	4900	277.9	297.9	12.0
5.44	5000	283.0	297.3	12.0
5.81	5100	284.8	293.3	11.9
6.18	5200	278.8	281.6	11.8
6.56	5300	291.6	289.0	11.8
6.94	5400	293.3	285.2	11.9
7.32	5500	291.6	278.5	12.1
7.71	5600	291.7	273.5	12.1
8.11	5700	293.3	270.3	12.1
8.52	5800	295.1	267.2	12.0
8.93	5900	292.2	260.1	12.1
9.35	6000	292.5	256.0	12.0
9.78	6100	290.5	250.2	12.1
10.23	6200	288.1	244.1	12.1
10.23	6300	N/A	N/A	N/A
10.23	6400	N/A	N/A	N/A

Column Max

295.1 306.2 13.4

Column Min

187.8 244.1 11.8

Column Average

Speedworks, Lewisville Tx.

262.0      285.7      12.1